

Fate of Donation: Wastage Codes

List Version: 1 July 2005

Product Super Group	Code	Full Name	Code Usage	Date Started	Date Stopped
RED CELL	TIMEX	Time Expiry	The expiry date on the unit has passed	01 April 2001	N/A
RED CELL	OTCOL	Out of temperature control outside laboratory	Unit has been left out of temperature range for longer than 30 mins on the wards, in theatres or in any other non-laboratory location	01 April 2001	N/A
RED CELL	OTCIL	Out of temperature control outside laboratory	Unit has been left out of temperature range for longer than 30 mins in the laboratory.	01 April 2001	31 March 2003
RED CELL	FFAIL	Fridge Failure	The unit has been discarded as a direct result of a fridge failure	01 April 2003	N/A
RED CELL	MISCN	Miscellaneous	Any other reason the unit is wasted that is not covered by other codes.	01 April 2001	N/A
PLATELET	MORNU	Medically Ordered Not Used	Platelets ordered for medical procedure but not used	01 April 2003	N/A
PLATELET	SORNU	Surgically Ordered Not Used	Platelets ordered for surgical procedure but not used	01 April 2003	N/A
PLATELET	STMEX	Stock Time Expired	If a stock of platelets is held, the expiry date on the unit has passed	01 April 2003	N/A
PLATELET	WOSOL	Wasted outside of laboratory	Unit has been left out of temperature range for longer than 30 mins in the laboratory.	01 April 2003	N/A
PLATELET	WIMPT	Wasted Import	Unit imported with patient but not used	01 April 2003	N/A
PLATELET	MISCN	Miscellaneous	Any other reason the unit is wasted that is not covered by other codes.	01 April 2003	N/A